



Designed for possibilities.
Made for people.



Floors, walls and doors guide

Contents

Welcome to Altro	4
Floors	
LVTs	
Altro Ensemble™	6
Rolls	
Altro Cantata™ adhesive-free	14
Altro Orchestra™	18
Altro Orchestra™ Custom	24
Altro Operetta™	26
Altro Serenade™	30
Altro Tierra™ static conductive	32
Altro Illustra™ adhesive-free	34
Altro Illustra™	36
Altro Suprema™	38
Altro XpressLay™ adhesive-free	42
Altro Walkway™ 20	46
Altro Walkway™ 20 SD	50
Altro Classic™ 25	52
Altro Reliance™ 25	54
Altro Atlas™ 40	58
Altro Stronghold™ 30 adhesive-free	60
Altro Stronghold™ 30	62
Altro Aquarius™	64
Walls	
Hygienic wall sheets	
Altro Whiterock White™	68
Altro Whiterock Satins™	70
Altro Whiterock™ FR	74
Altro Whiterock Chameleon™	76
Altro Whiterock™ wall designs	78
Altro Whiterock Digiclad™ (Custom)	80
Wall protection	
Altro Fortis Titanium™	82
Altro Fortis™ corner protection	84
Specialist wall solutions	
Altro Tegulis™	86
Altro Whiterock™ Imagination Wall	92
Altro Whiterock™ Whiteboard	94
Altro Whiterock Splashbacks™	96
Doors	
Altro Fortis door protection™	100
Technical drawings	102
Support	116



Altro Illustra adhesive-free and Altro Whiterock wall designs



Altro Stronghold 30 adhesive-free and Altro Whiterock wall designs



Altro Aquarius

Choose by type of wall, floor or door

Designer ranges

LVTs	
Altro Ensemble (15dB)	6
Floors	
Altro Cantata adhesive-free (14dB)	14
Altro Orchestra (15dB)	18
Altro Orchestra Custom (15dB)	24
Altro Operetta (4dB)	26
Altro Serenade (19dB)	30
Floors with safety	
Altro Illustra adhesive-free (14dB)	34
Altro Illustra (4dB)	36
Altro Suprema	38

Decorative wall sheets

Altro Whiterock Satins	70
Altro Whiterock FR	74
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Whiterock Digiclad (Custom)	80
Altro Tegulis	86
Altro Whiterock Imagination Wall	92
Altro Whiterock Whiteboard	94

Acoustic floors

LVTs	
Altro Ensemble (15dB)	6
Floors	
Altro Cantata adhesive-free (14dB)	14
Altro Orchestra (15dB)	18
Altro Orchestra Custom (15dB)	24
Altro Serenade (19dB)	30
Altro Illustra adhesive-free (14dB)	34

Safety floors

Floors	
Altro Tierra™ static conductive	32
Altro Illustra adhesive-free (14dB)	34
Altro Illustra (4dB)	36
Altro Suprema	38
Altro XpressLay adhesive-free	42
Altro Walkway	46
Altro Walkway SD	50

Safety floors continued

Heavy duty (2.5mm+)	
Altro Classic (2.5mm)	52
Altro Reliance (2.5mm)	54
Altro Atlas (4mm)	58

Kitchens

Altro Classic	52
Altro Stronghold 30 adhesive-free	60
Altro Stronghold	62

Bathrooms

Altro Aquarius	64
----------------	----

Heavy duty

Floors	
Altro Classic	52
Altro Reliance	54
Altro Atlas	58

Wall protection

Altro Fortis Titanium	82
Altro Fortis corner protection	84

Doors

Altro Fortis door protection	100
------------------------------	-----

Walls and doors

Hygienic wall sheets	
Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock FR	74
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Whiterock Digiclad (Custom)	80
Altro Whiterock Imagination Wall	92
Altro Whiterock Whiteboard	94
Altro Whiterock Splashbacks	96

Tile-effect wall sheets

Altro Tegulis	86
---------------	----

Wall protection

Altro Fortis Titanium	82
Altro Fortis corner protection	84

Doors

Altro Fortis door protection	100
------------------------------	-----

Sustainable solutions

Adhesive-free floors	
Altro Cantata adhesive-free (14dB)	14
Adhesive-free floors with safety	
Altro Illustra adhesive-free (14dB)	34
Altro XpressLay adhesive-free	42
Altro Stronghold 30 adhesive-free	60
Walls and doors	
Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock FR	74
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Tegulis	86
Altro Whiterock Splashbacks	96
Altro Fortis door protection	100

Commercial kitchens

Floors	
Altro Classic	52
Altro Stronghold 30 adhesive-free	60
Altro Stronghold	62

Walls

Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock FR	74
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Tegulis	86

Wet rooms, showers and bathrooms

Floors	
Altro Aquarius	64
Walls	
Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock FR	74
Altro Whiterock Chameleon	76
Altro Whiterock wall designs	78
Altro Whiterock Digiclad (Custom)	80
Altro Tegulis	86
Altro Whiterock Splashbacks	96

Not all products are available in every country, please check with your Altro Consultant for availability in your region.

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people’s needs at the heart of everything we do. It’s a human-centred approach to designing for the demands of 21st century life.

It’s a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors - LVTs



Altro Ensemble

Application areas:

- Communal areas
- Receptions
- Corridors
- Dining, bars
- Waiting areas
- Resident rooms
- Shops

Altro Ensemble – the next generation of luxury vinyl tiles. A modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From warm wood herringbone to geometric patterns, natural stone and concrete effects, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB impact sound insulation with added comfort underfoot, making it perfect for front of house areas in hospitality, hotels including foyers and reception areas, restaurant and café dining areas, retail, offices, and student accommodation – any environment where design is key.

With six, lightweight, easy to install, modular sizes, you can create flexible designs by mix and matching, to creating unique patterns where first impressions count.



Nimbus Oak
M054W125L1000 | LRV 36

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com

Floors - LVTs



White Vintage Timber
M009W100L500 | LRV 44



Spring Oak
M051W100L500 | LRV 54




Autumn Oak
M053W100L500 | LRV 35



Spiced Oak
M052W100L500 | LRV 24




Persian Oak
M044W100L500 | LRV 20




Blue Vintage Timber
M011W100L500 | LRV 42



Greige Rustic Oak
M034W100L500 | LRV 35



Medium Grey
Harmonious Oak
M027W100L500 | LRV 21



Midnight Oak
M040W100L500 | LRV 7

Plank size




100 x 500 mm

Floors - LVTs



Spring Oak
M051W125L1000 | LRV 54



Bale Oak
M041W125L1000 | LRV 48



Autumn Oak
M053W125L1000 | LRV 35




Spanish Oak
M045W125L1000 | LRV 30



Natural Rustic Oak
M017W125L1000 | LRV 27



White Vintage Timber
M009W125L1000 | LRV 44



Blue Vintage Timber
M011W125L1000 | LRV 42



Harbour Oak
M046W125L1000 | LRV 35



Natural Striking Oak
M032W125L1000 | LRV 26



Marine Oak
M042W125L1000 | LRV 21




Faded Oak
M039W125L1000 | LRV 57



Sage Oak
M043W125L1000 | LRV 38



Greige Striking Oak
M033W125L1000 | LRV 16



Smoked Rustic Oak
M035W125L1000 | LRV 12



River Oak
M047W125L1000 | LRV 14




Greige Rustic Oak
M034W125L1000 | LRV 35



Storm Oak
M056W125L1000 | LRV 42



Nimbus Oak
M054W125L1000 | LRV 36



Medium Grey
Harmonious Oak
M027W125L1000 | LRV 21



Spiced Oak
M052W125L1000 | LRV 24

Plank size



125 x 1000 mm


Floors - LVTs




Persian Oak
M044W125L1000 | LRV 20



Tobacco Limed
Striking Oak
M008W125L1000 | LRV 18



Regal Oak
M049W125L1000 | LRV 12



Midnight Oak
M040W125L1000 | LRV 7

Plank size



125 x 1000 mm




Bale Oak
M041W166L1500 | LRV 48




Autumn Oak
M053W166L1500 | LRV 35



Spiced Oak
M052W166L1500 | LRV 24



Medium Grey
Harmonious Oak
M027W166L1500 | LRV 21



Midnight Wood
M040W166L1500 | LRV 7

Plank size



166 x 1500 mm

Floors - LVTs



Spring Oak
M051W200L2000 | LRV 54



Autumn Oak
M053W200L2000 | LRV 35



Natural Rustic Oak
M017W200L2000 | LRV 27




Harbour Oak
M046W200L2000 | LRV 35



Marine Oak
M042W200L2000 | LRV 21



Greige Rustic Oak
M034W200L2000 | LRV 35



Medium Grey
Harmonious Oak
M027W200L2000 | LRV 21



Smoked Rustic Oak
M035W200L2000 | LRV 12



Spiced Oak
M052W200L2000 | LRV 24




River Oak
M047W200L2000 | LRV 14



Persian Oak
M044W200L2000 | LRV 20



Regal Oak
M049W200L2000 | LRV 12



Midnight Oak
M040W200L2000 | LRV 7

Plank size




200 x 2000 mm

Floors - LVTs



Fossil Stone
MT084W500L500 | LRV 45




Urban Concrete
MT090W500L500 | LRV 40



Village Concrete
MT091W500L500 | LRV 53



Venetian Stone
MT092W500L500 | LRV 40




Platinum Concrete
MT087W500L500 | LRV 37



Portland Stone
MT083W500L500 | LRV 20



Pumice Stone
MT085W500L500 | LRV 13



Pewter Concrete
MT088W500L500 | LRV 15



Clay Stone
MT086W500L500 | LRV 9



Anthracite Concrete
MT089W500L500 | LRV 6

Tile size



500 x 500 mm

Floors - LVTs



Fossil Stone
MT084W500L1000 | LRV 45




Urban Concrete
MT090W500L1000 | LRV 40



Village Concrete
MT091W500L1000 | LRV 53



Venetian Stone
MT092W500L1000 | LRV 40




Platinum Concrete
MT087W500L1000 | LRV 37



Portland Stone
MT083W500L1000 | LRV 20



Pumice Stone
MT085W500L1000 | LRV 13



Pewter Concrete
MT088W500L1000 | LRV 15



Clay Stone
MT086W500L1000 | LRV 9



Anthracite Concrete
MT089W500L1000 | LRV 6

Tile size



500 x 1000 mm



Floors




Altro Cantata adhesive-free

Application areas:

- Communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. New Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.




Hazelnut | AFP282009
WR418 / A1M239 / LRV 18




Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com


Floors




Frosted Glass
AFP282005
WR388 / A1M388 / LRV 52




Mocha
AFP282003
WR555 / A1M389 / LRV 40



Graphite
AFP282002
WR390 / A1M390 / LRV 30




True Grit
AFP282001
WR391 / A1M82 / LRV 17




Black Sand
AFP282010
WR485 / A1M485 / LRV 7




Crème Caramel
AFP282006
WR523 / A1M385 / LRV 50



Willow Tree
AFP282007
WR399 / A1M399 / LRV 41



Bluebell
AFP282004
WR398 / A1M398 / LRV 26




Sunrise
AFP282008
WR393 / A1M393 / LRV 19




Treviso
AFT284003
WR483 / A1M483 / LRV 44




Seal Grey
AFC281002
WR435 / A1M390 / LRV 26




Bluefin
AFC281001
WR438 / A1M486 / LRV 26




Milan
AFT284002
WR482 / A1M482 / LRV 15



Rome
AFT284001
WR481 / A1M83 / LRV 16



Venice
AFT284004
WR484 / A1M484 / LRV 40



Elephant Grey
AFC281003
WR436 / A1M487 / LRV 17

Floors - Smooth



Portuguese Oak
AFW280013
WR335 / A1M335 / LRV 51



Frosted Oak
AFW280001
WR335 / A1M335 / LRV 52



Timeless Oak
AFW280007
WR347 / A1M347 / LRV 38



Post Oak
AFW280016
WR350 / A1M483 / LRV 30



Champagne Oak
AFW280010
WR338 / A1M338 / LRV 38



Summer Oak
AFW280005
WR340 / A1M340 / LRV 37



Caramel Oak
AFW280006
WR353 / A1M225 / LRV 25



Honey Maple
AFW280011
WR352 / A1M352 / LRV 27



Birnam Oak
AFW280017
WR352 / A1M352 / LRV 21



Imperial Walnut
AFW280009
WR341 / A1M160 / LRV 15



Soft Maple
AFW280002
WR339 / A1M339 / LRV 24



Bur Oak
AFW280015
WR514 / A1M514 / LRV 21



Shaded Cherry
AFW280004
WR337 / A1M337 / LRV 17



Oxford Oak
AFW280014
WR339 / A1M339 / LRV 22



Holm Oak
AFW280018
WR478 / A1M390 / LRV 26



Dusky Cherry
AFW280003
WR336 / A1M239 / LRV 22



Vintage Oak
AFW280012
WR322 / A1M239 / LRV 19



Pitch Oak
AFW280008
WR348 / A1M348 / LRV 7



Floors - Smooth




Altro Orchestra

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. NEW Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Serpent* | CH2850U
WR517 / A1M136 / LRV 56

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Floors - Smooth




Chimes | CH2836U
WR457 / A1M335 / LRV 52




Oboe | CH2835U
WR456 / A1M338 / LRV 34




Violin | CH2834U
WR455 / A1M361 / LRV 31




Bongo | CH2840U
WR461 / A1M152 / LRV 27




Drum | CH2837U
WR458 / A1M74 / LRV 18




Trombone | CH2839U
WR460 / A1M484 / LRV 39




Conga | CH2879U
WR390 / A1M390 / LRV 30




Flute | CH2833U
WR454 / A1M86 / LRV 22



Manon | CH2878U
WR391 / A1M82 / LRV 17




Maraca | CH2855U
WR499 / A1M136 / LRV 56




Volta* | CH2851U
WR518 / A1M335 / LRV 48




Porter* | CH2854U
WR498 / A1M483 / LRV 43



Notturna* | CH2853U
WR497 / A1M369 / LRV 48



Chromatic* | CH2852U
WR496 / A1M136 / LRV 49




Musette | CH2856U
WR515 / A1M136 / LRV 49




Brass* | CH2842U
WR483 / A1M483 / LRV 44




Woodwind* | CH2843U
WR489 / A1M385 / LRV 45




String | CH2841U
WR484 / A1M484 / LRV 40




Percussion | CH2844U
WR490 / A1M86 / LRV 18



Orfeo* | CH2849U
WR41 / A1M41 / LRV 9



Turandot* | CH2847U
WR482 / A1M482 / LRV 15



Falstaff* | CH2846U
WR493 / A1M493 / LRV 9




Othello* | CH2848U
WR62 / A1M62 / LRV 9




Montezuma* | CH2845U
WR485 / A1M485 / LRV 8

*There may be limited stocks in these colours which are subject to a manufacturing lead time. Please check availability before ordering.

Floors - Smooth



Reggae | CH2801U
WR422 / A1M200 / LRV 48




Salsa | CH2802U
WR423 / A1M200 / LRV 20




Flamenco | CH2806U
WR427 / A1M200 / LRV 12




Jazz | CH2824U
WR445 / A1M200 / LRV 15



Fusion | CH2813U
WR434 / A1M200 / LRV 49




Rap | CH2820U
WR441 / A1M200 / LRV 30




Soul | CH2817U
WR438 / A1M200 / LRV 29




Gospel | CH2821U
WR442 / A1M200 / LRV 17




Metal | CH2818U
WR439 / A1M84 / LRV 16




Chant | CH2814U
WR435 / A1M390 / LRV 26




Club | CH2815U
WR436 / A1M487 / LRV 17




Trumpet | CH2825U
WR446 / A1M347 / LRV 37



Cello | CH2829U
WR450 / A1M81 / LRV 24




Bassoon* | CH2831U
WR452 / A1M84 / LRV 17




Guitar | CH2828U
WR449 / A1M137 / LRV 29



Glockenspiel | CH2827U
WR448 / A1M361 / LRV 23



Rigoletto* | CH2876U
WR519 / A1M392 / LRV 34




Traviata* | CH2877U
WR520 / A1M338 / LRV 28


Floors - Smooth




Elektra | CH2870U
WR511 / A1M392 / LRV 58



Carlotta* | CH2865U
WR507 / A1M337 / LRV 26



Sitar | CH2869U
WR510 / A1M347 / LRV 38



Macavity | CH2867U
WR508 / A1M11 / LRV 57




Aurora | CH2857U
WR500 / A1M136 / LRV 60




Seville* | CH2860U
WR503 / A1M79 / LRV 45




Tosca | CH2862U
WR494 / A1M494 / LRV 23




Reed | CH2874U
WR513 / A1M85 / LRV 39




Polka | CH2859U
WR502 / A1M390 / LRV 23




Marimba* | CH2863U
WR505 / A1M390 / LRV 30




Fidelio* | CH2868U
WR509 / A1M85 / LRV 35




Cornet | CH2864U
WR506 / A1M82 / LRV 20



Nabucco* | CH2873U
WR512 / A1M84 / LRV 24



Timpani | CH2861U
WR504 / A1M417 / LRV 20



Kora* | CH2871U
WR495 / A1M495 / LRV 8



Figaro | CH2858U
WR501 / A1M82 / LRV 13

Floors - Smooth



Nordic Oak
WSMSC2816
WR335 / A1M335 / LRV 51




Polar Oak
WSMSC2801
WR335 / A1M335 / LRV 52



European Oak
WSMSC2823
WR350 / A1M483 / LRV 30



Silver Oak
WSMSC2808
WR347 / A1M347 / LRV 38



Pewter Oak
WSMSC2826
WR478 / A1M390 / LRV 26




Smokey Cherry
WSMSC2803
WR336 / A1M239 / LRV 22



Galleon Oak
WSMSC2818
WR322 / A1M239 / LRV 19



Regal Cherry
WSMSC2804
WR337 / A1M337 / LRV 17



Shadow Oak
WSMSC2809
WR348 / A1M348 / LRV 7



Straw Oak
WSMSC2811
WR338 / A1M338 / LRV 38



New Oak
WSMSC2824
WR516 / A1M338 / LRV 46



Harvest Oak
WSMSC2805
WR340 / A1M340 / LRV 37



Tawny Oak
WSMSC2807
WR353 / A1M225 / LRV 25



Southern Oak
WSMSC2825
WR352 / A1M352 / LRV 21



Bay Walnut
WSMSC2810
WR341 / A1M160 / LRV 15



Country Maple
WSMSC2802
WR339 / A1M339 / LRV 24



Pier Oak
WSMSC2822
WR514 / A1M514 / LRV 21



Old Oak
WSMSC2817
WR339 / A1M339 / LRV 22



*There may be limited stocks in these colours which are subject to a manufacturing lead time. Please check availability before ordering.

Floors – Smooth



Altro Orchestra Custom

Application areas:

- Communal areas
- Receptions
- Corridors
- Therapy, spa areas
- Special needs schools
- Shops
- Exhibitions

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.


Choose a design from the Altro collection of images and patterns, or contact us to create something more bespoke. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Grass 1 | DPSCH0059

Not all products are available in every country, please check with your Altro consultant for availability in your region.

For full technical details altro.com



Floors - Smooth



Altro Operetta

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges.

NEW Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.

Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and co-ordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.



Madrigal | OP2134U
WR455 / A1M361 / LRV 31


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Smooth




Acapella | OP2135U
WR456 / A1M338 / LRV 34




Glee | OP2136U
WR457 / A1M335 / LRV 52




Yeoman | OP2139U
WR460 / A1M484 / LRV 39




Baroque | OP2133U
WR454 / A1M86 / LRV 22




Leo | OP2179U
WR390 / A1M390 / LRV 30




Soprano | OP2137U
WR458 / A1M74 / LRV 18




Lola | OP2178U
WR391 / A1M82 / LRV 17




Quintet | OP2114U
WR435 / A1M390 / LRV 26




Pulse | OP2118U
WR439 / A1M84 / LRV 16




Tempo | OP2115U
WR436 / A1M487 / LRV 17




Clef | OP2125U
WR446 / A1M347 / LRV 37




Canon | OP2129U
WR450 / A1M81 / LRV 24



Drop | OP2127U
WR448 / A1M361 / LRV 23



Beethoven | OP2159U
WR502 / A1M390 / LRV 23




Black Forest | OP2158U
WR501 / A1M82 / LRV 13



Shake | OP2164U
WR506 / A1M82 / LRV 20




Vivo | OP2162U
WR494 / A1M494 / LRV 23




Allegra | OP2169U
WR510 / A1M347 / LRV 38




Cabasa | OP2161U
WR504 / A1M417 / LRV 20




Tutti | OP2157U
WR500 / A1M136 / LRV 60




Stanza | OP2156U
WR515 / A1M136 / LRV 49



Beat | OP2155U
WR499 / A1M136 / LRV 56



Vagabond | OP2141U
WR484 / A1M484 / LRV 40



Vamp | OP2144U
WR490 / A1M86 / LRV 18

Floors - Smooth




Castle Oak
WSM2075
WR335 / A1M335 / LRV 51



White Oak
WSM2051
WR335 / A1M335 / LRV 52



Greyed Oak
WSM2063
WR347 / A1M347 / LRV 38



Platinum Oak
WSM2085
WR478 / A1M390 / LRV 26



Pale Cherry
WSM2052
WR336 / A1M239 / LRV 22



Tower Oak
WSM2077
WR322 / A1M239 / LRV 19



Classic Cherry
WSM2053
WR337 / A1M337 / LRV 17



Flaxen Oak
WSM2054
WR338 / A1M338 / LRV 38



Mellow Oak
WSM2056
WR340 / A1M340 / LRV 37



Light Maple
WSM2055
WR339 / A1M339 / LRV 24



Boardwalk Oak
WSM2081
WR514 / A1M514 / LRV 21



Mid Walnut
WSM2057
WR341 / A1M160 / LRV 15



Floors - Smooth



Altro Serenade

Application areas:

- Resident rooms
- Bedrooms
- Play areas
- Classrooms
- Lecture theatres
- Libraries
- Hotels

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and five designs. Co-ordinates with other ranges.

NEW Altro Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Chord | SE3934U
WR455 / A1M361 / LRV 31




Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com


Floors - Smooth




Caldara | SE3939U
WR460 / A1M484 / LRV 39



Anthem | SE3933U
WR454 / A1M86 / LRV 22




Moonlight | SE3937U
WR458 / A1M74 / LRV 18




Dulcimer | SE3955U
WR499 / A1M136 / LRV 56




March | SE3925U
WR446 / A1M347 / LRV 37



Opus | SE3927U
WR448 / A1M361 / LRV 23




Encore | SE3929U
WR450 / A1M81 / LRV 24



Metronome | SE3914U
WR435 / A1M390 / LRV 26



Elgar | SE3962U
WR494 / A1M494 / LRV 23



Charm | SE3969U
WR510 / A1M347 / LRV 38



Andante | SE3957U
WR500 / A1M136 / LRV 60



Relax | WSMA3798
WR335 / A1M335 / LRV 51



Slumber | WSMA37108
WR478 / A1M390 / LRV 26



Hush | WSMA3781
WR338 / A1M338 / LRV 38



Lull | WSMA3782
WR341 / A1M160 / LRV 15



Restful | WSMA37104
WR514 / A1M514 / LRV 21

Floors - Smooth



Altro Tierra static conductive


Application areas:

- Computer server rooms
- Operating theatres

In healthcare, the high-tech industry and clean rooms, equipment failure is not an option. Altro Tierra is a conductive, flexible vinyl flooring system with permanent anti-static properties*. It gives the highest level of protection against Electro Static Discharge (ESD), when conductive footwear is worn. Non-absorbent and non-porous, Altro Tierra's homogenous surface means it also performs well in the highly trafficked environments that use heavy and wheeled equipment.

The spark created by an ESD can be enough to ignite flammable materials. When the appropriate footwear is worn, Altro Tierra removes the risk of this happening, giving peace of mind that staff and patients are safer.

* $\leq 20V$ according to IEC61340-4-5 and $\leq 2kV$ according to EN 1815.




Apple | ATC2005
WR384 / A1M200 / LRV 38


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Smooth




Frost | ATC2000
WR365 / A1M200 / LRV 58




Almond | ATC2003
WR367 / A1M200 / LRV 53



Atlantic | ATC2002
WR366 / A1M200 / LRV 38



Peacock | ATC2004
WR383 / A1M200 / LRV 36



Onyx | ATC2001
WR382 / A1M200 / LRV 8

Floors - Safety




Altro Illustra adhesive-free

Application areas:

- Entrances, communal areas, corridors
- Dining, bars, restaurants
- Domestic kitchens
- Bedrooms, quiet rooms
- Wards
- Classrooms, Libraries
- Shops
- Toilet, staff changing areas

Looking for an adhesive-free safety floor that provides limitless design possibilities? Altro Illustra adhesive-free combines style, safety, durability and provides installation flexibility, with the stone, textile, and mineral designs offering a range of aesthetic possibilities.

Using our award-winning adhesive-free installation method, Altro Illustra adhesive-free can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled. Using Altro adhesive-free floors, you can halve installation time compared with a traditional adhered installation, and save up to 50% carbon.



Soft Blush | LUAF2408
WR570 / A1M11 / LRV 57

Not all products are available in every country, please check with your Altro consultant for availability in your region. For full technical details altro.com



Floors - Safety




Shrouded Mountain
LUAF2417
WR497 / A1M369 / LRV 55




Stepping Stone |
LUAF2416
WR567 / A1M369 / LRV 55



Cobblestone
LUAF2414
WR560 / A1M79 / LRV 41




Crag Stone | LUAF2418
WR566 / A1M81 / LRV 36




Cocoa Clay | LUAF2413
WR565 / A1M387 / LRV 26




Hammerhead
LUAF2415
WR501 / A1M487 / LRV 20




Thunder Mountain
LUAF2412
WR562 / A1M83 / LRV 13



Cotton Twist
LUAF2409
WR446 / A1M347 / LRV 38




Tranquil Twist
LUAF2410
WR478 / A1M361 / LRV 25




Deep Twist | LUAF2411
WR301 / A1M82 / LRV 12




Distant Shore | LUAF2401
WR552 / A1M20 / LRV 43



Touchstone | LUAF2402
WR61 / A1M239 / LRV 27




Dusky Grit | LUAF2403
WR561 / A1M518 / LRV 17




Rose Petal | LUAF2405
WR535 / A1M149 / LRV 29



Tamarind | LUAF2404
WR539 / A1M42 / LRV 26



Waters Edge | LUAF2407
WR542 / A1M516 / LRV 38



Ivy League | LUAF2406
WR242 / A1M154 / LRV 20

Floors - Safety




Altro Illustra

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars, restaurants
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Toilet, staff changing areas

Looking for a safety floor that provides limitless design possibilities? Altro Illustra combines style, safety, durability and offers a range of aesthetic options, from nature inspired stone to modern textile design, the possibilities are endless. Whether you're creating an inviting learning environment, a comfortable care facility, an attractive retail space, or a welcoming hospitality venue, Altro Illustra is the perfect flooring solution to bring your vision to life. Love the look of Altro Illustra but want to save carbon, time and money – make the easy switch to Altro Illustra adhesive-free, the 100% recyclable design-led safety floor.



Hazy Twist | LU2409
WR446 / A1M347 / LRV 38

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Safety




Soapstone | LU2417
WR497 / A1M369 / LRV 55




Ammonite | LU2416
WR567 / A1M369 / LRV 55



Keystone | LU2414
WR560 / A1M79 / LRV 41




Jurassic Slab | LU2418
WR566 / A1M81 / LRV 36




Canyon Clay | LU2413
WR565 / A1M387 / LRV 26




Skyfall | LU2415
WR501 / A1M487 / LRV 20



Bedrock | LU2412
WR562 / A1M83 / LRV 13




Gentle Twist | LU2410
WR478 / A1M361 / LRV 25




Midnight Twist | LU2411
WR301 / A1M82 / LRV 12



Sand Castle | LU2401
WR552 / A1M20 / LRV 43



Clay Bed | LU2402
WR61 / A1M239 / LRV 27



Highway | LU2403
WR561 / A1M518 / LRV 17

Floors - Safety



Altro Suprema


Application areas:

- Entrances, corridors, stairs, dining, wards
- Domestic kitchens
- Classrooms
- Art rooms
- Treatment areas
- Clinics, vets
- Toilet, staff changing areas
- Early years wet play areas

Altro Suprema now features a range of stylish colours reflecting contemporary trends and diverse design needs. This non-sparkle, low-gloss safety flooring has sustained slip resistance and is available in a choice of chip or plain designs.

It incorporates Altro EasyClean technology, designed for low maintenance and a lasting attractive appearance, saving you time and cleaning costs. And it has superior stain, abrasion and scratch resistance, so you can use even light colours with confidence.

Altro Suprema is manufactured and stocked in the UK. It is suitable for very heavy commercial use, foot and wheeled traffic in demanding commercial areas.




Clematis | SYI20029
WR546 / A1M228 / LRV 27


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Safety




Ornella | SYI20024
WR534 / A1M11 / LRV 49




Roselle | SYI20025
WR534 / A1M11 / LRV 49




Evora | SYI20017
WR538 / A1M515 / LRV 37




Calla | SYI20030
WR538 / A1M515 / LRV 37




Diantha | SYI20007
WR527 / A1M265 / LRV 37




Pampas | SYI20009
WR569 / A1M01 / LRV 62




Primula | SYI20023
WR543 / A1M335 / LRV 50




Dicentra | SYI20022
WR543 / A1M335 / LRV 50




Hazel | SYI20008
WR526 / A1M239 / LRV 22




Coleus | SYI20004
WR526 / A1M239 / LRV 22




Hibiscus | SYI20005
WR79 / A1M191 / LRV 42




Cicely | SYI20006
WR81 / A1M81 / LRV 28




Agave | SYI20002
WR525 / A1M86 / LRV 19



Festuca | SYI20010
WR528 / A1M82 / LRV 15




Cardoon | SYI20003
WR301 / A1M82 / LRV 11




Italicum | SYI20001
WR301 / A1M82 / LRV 12


Floors - Safety




Okame | SY20020
WR541 / A1M294 / LRV 47




Amaranth | SY20026
WR535 / A1M149 / LRV 29




Dahlia | SY20019
WR540 / A1M303 / LRV 14




Cranebill | SY20011
WR529 / A1M238 / LRV 9




Zinnia | SY20016
WR537 / A1M44 / LRV 13




Senna | SY20033
WR549 / A1M152 / LRV 31




Freesia | SY20018
WR539 / A1M42 / LRV 26




Kolibri | SY20014
WR533 / A1M399 / LRV 35




Gerbera | SY20031
WR547 / A1M154 / LRV 20




Sorrel | SY20028
WR545 / A1M517 / LRV 11




Acer | SY20027
WR544 / A1M396 / LRV 52




Wilder | SY20021
WR542 / A1M516 / LRV 37




Gentian | SY20013
WR531 / A1M71 / LRV 16



Lotus | SY20015
WR536 / A1M71 / LRV 14



Madara | SY20032
WR548 / A1M56 / LRV 19



Salvia | SY20012
WR530 / A1M73 / LRV 9



Floors - Safety



Altro XpressLay adhesive-free

Application areas:


- General purpose, versatile safety where adhesive-free benefits are required where occasional contamination from water is a concern.

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.

Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 30 colours and matches with Altro Walkway 20.




Streetlight | XLI2205P
WR287 / A1M79 / LRV 45




Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com


Floors - Safety




Blizzard | XLI2255
WR79 / A1M191 / LRV 44




Cloud | XL2214
WR79 / A1M191 / LRV 41




Fog | XL22153
WR81 / A1M81 / LRV 27




Rock | XLI2204P
WR84 / A1M84 / LRV 23




Pavement | XLI2207P
WR83 / A1M83 / LRV14




Temple | XL2209P
WR261 / A1M81 / LRV 27



Whale | XLI2254
WR86 / A1M86 / LRV 20




Dolphin | XL2210
WR86 / A1M86 / LRV 21




Runway | XL2206P
WR72 / A1M72 / LRV 9




Black | XL22892
WR100 / A1M100 / LRV 6




Skyline | XL22332
WR52 / A1M52 / LRV 24




Tarragon | XLI2252
WR52 / A1M52 / LRV 26




Waterfall | XL22912
WR155 / A1M135 / LRV 31



Blue | XL22412
WR71 / A1M71 / LRV 22




River | XLI2257
WR71 / A1M71 / LRV 22




Lupin | XLI2259
WR286 / A1M286 / LRV 17



Midnight | XL22421
WR72 / A1M72 / LRV 11




Nightfall | XLI2256
WR72 / A1M72 / LRV 10




Coal | XLI2258
WR100 / A1M100 / LRV 6


Floors - Safety




Swan | XLI2212P
WR291 / A1M01 / LRV 75




Winter | XLI2253
WR105 / A1M01 / LRV 61




Minster | XL2218P
WR289 / A1M265 / LRV 40




Sand | XLI2251
WR20 / A1M20 / LRV 40




Bone | XL22215
WR20 / A1M20 / LRV 37




Biscuit | XL22907
WR146 / A1M20 / LRV 30




Tundra | XL22910
WR153 / A1M239 / LRV 17



Savannah | XLI2250
WR153 / A1M239 / LRV 19



Tango | XL2231
WR42 / A1M42 / LRV 14



Cherry | XL22920
WR148 / A1M148 / LRV 10



Floors - Safety



Altro Walkway 20


Application areas:

- General purpose flooring for areas where occasional contamination from water is a concern

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You've loved working with Altro Walkway 20 for over 25 years because it's easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.




Swan | VMI2012P
WR291 / A1M01 / LRV 75


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Safety




Streetlight | VMI2005P
WR287 / A1M79 / LRV 45




Blizzard | VMI2055
WR79 / A1M191 / LRV 44




Fog | VM20153
WR81 / A1M81 / LRV 27




Rock | VMI2004P
WR84 / A1M84 / LRV 23




Pavement | VMI2007P
WR83 / A1M83 / LRV 14



Temple | VM2009P
WR261 / A1M81 / LRV 27



Whale | VMI2054
WR86 / A1M86 / LRV 20




Dolphin | VM2010
WR86 / A1M86 / LRV 21




Black | VM20892
WR100 / A1M100 / LRV 6




Coal | VMI2058
WR100 / A1M100 / LRV 6




Skyline | VM20332
WR52 / A1M52 / LRV 24




Tarragon | VMI2052
WR52 / A1M52 / LRV 26




Waterfall | VM20912
WR155 / A1M135 / LRV 31




Blue | VM20412
WR71 / A1M71 / LRV 22



River | VMI2057
WR71 / A1M71 / LRV 22




Cloud | VM2014
WR79 / A1M191 / LRV 41




Runway | VM2006P
WR72 / A1M72 / LRV 9



Midnight | VM20421
WR72 / A1M72 / LRV 11




Nightfall | VMI2056
WR72 / A1M72 / LRV 10




Lupin | VMI2059
WR286 / A1M286 / LRV 17


Floors - Safety




Winter | VMI2053
WR105 / A1M01 / LRV 61




Minster | VM2018P
WR289 / A1M265 / LRV 40




Sand | VMI2051
WR20 / A1M20 / LRV 40




Bone | VM20215
WR20 / A1M20 / LRV 37



Biscuit | VM20907
WR146 / A1M20 / LRV 30




Tundra | VM20910
WR153 / A1M239 / LRV 17



Savannah | VMI2050
WR153 / A1M239 / LRV 19



Tango | VM2031
WR42 / A1M42 / LRV 14



Cherry | VM20920
WR148 / A1M148 / LRV 10



Floors - Safety



Altro Walkway 20 SD

Application areas:

- Computer/server suites
- Labs with static-sensitive equipment/gases
- Production areas for electronics

Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the "SD" (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD
WR81 / A1M81 / LRV 27

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Floors – Safety



Altro Classic 25

Application areas:

- Service corridors
- Serveries
- Behind bars
- Craft, design and technology areas
- Laundries
- Sluice rooms
- Sports changing rooms

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥ 45 and an R11 slip rating.


Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.




Anvil | X2594R11
WR101 / A1M72 / LRV 11

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com


Floors – Safety




Mushroom | X2542R11
WR24 / A1M27 / LRV 32



Truffle | X2545R11
WR153 / A1M239 / LRV 17




Walnut | X2586R11
WR62 / A1M62 / LRV 10




Quarry Red | X2560R11
WR42 / A1M42 / LRV 13




Blackberry | X2547R11
WR100 / A1M100 / LRV 7




Pewter Grey | X2539R11
WR81 / A1M81 / LRV 26




Whisper | X2548R11
WR354 / A1M84 / LRV 24




Graphite | X2546R11
WR86 / A1M86 / LRV 21



Blue | X2541R11
WR71 / A1M71 / LRV 20




Aster | X2549R11
WR286 / A1M286 / LRV 17



Legend | X2544R11
WR231 / A1M73 / LRV 10

Floors - Safety




Altro Reliance 25

Application areas:

- Entrances, corridors, communal areas
- Sports changing rooms
- Laboratories
- Clinical areas
- Art rooms
- Laundries

Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Streetlight | D2505
WR287 / A1M79 / LRV 45




Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com


Floors - Safety




Temple | D2509
WR261 / A1M81 / LRV 27




Rock | D2504
WR84 / A1M84 / LRV 23



Fog | D25153
WR81 / A1M81 / LRV 27




Pavement | D2507
WR83 / A1M83 / LRV 14




Vault | D2517
WR277 / A1M100 / LRV 5




Stream | D2518
WR288 / A1M71 / LRV 22



Fountain | D2502
WR306 / A1M71 / LRV 22




Pool | D2503
WR307 / A1M73 / LRV 10




Runway | D2506
WR72 / A1M72 / LRV 9




Twilight | D25910
WR39 / A1M34 / LRV 8



Roof Garden | D2500
WR262 / A1M154 / LRV 23



Skyline | D25332
WR52 / A1M52 / LRV 25



Storm | D25903
WR82 / A1M82 / LRV 16




Midnight | D25421
WR72 / A1M72 / LRV 11




Jet | D2501
WR100 / A1M100 / LRV 6


Floors - Safety




Ice Rink | D2514
WR291 / A1M01 / LRV 70




Statue | D2513
WR304 / A1M12 / LRV 62




Arena | D2510
WR297 / A1M20 / LRV 41




Bone | D25215
WR20 / A1M20 / LRV 37




Biscuit | D25904
WR146 / A1M20 / LRV 30




Plaza | D2512
WR27 / A1M27 / LRV 32




Monument | D2508
WR305 / A1M239 / LRV 23




Gallery | D2511
WR62 / A1M62 / LRV 10




Rust | D25907
WR150 / A1M238 / LRV 10



Forge | D2515
WR248 / A1M238 / LRV 9



Signal | D2516
WR300 / A1M42 / LRV 13



Floors - Safety



Altro Atlas 40


Application areas:

- Industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift (for more intense forklift use please choose a resin)
- Sports changing rooms where spikes and studs on shoes are used
- Mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.




Pewter Grey | X4039
WR81 / A1M81 / LRV 26


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Safety




Mushroom | X4042
WR24 / A1M27 / LRV 32



Quarry Red | X4060
WR42 / A1M42 / LRV 13



Walnut | X4086
WR62 / A1M62 / LRV 10



Anvil | X4094
WR101 / A1M72 / LRV 11

Floors - Safety




Altro Stronghold 30 adhesive-free

Application areas:

- Commercial kitchens (not domestic)**
- Cold rooms*
- Food preparation and service areas where grease, oil, fats are present
- Kitchen stairs*
- Temporary kitchens

Designed exclusively for commercial kitchens, Altro Stronghold 30 adhesive-free can be welded and walked on the same day, significantly reducing kitchen downtime. With an integral DPM, it's fast-fitting and can even be installed over existing flooring or on fresh concrete. Over 95% of an installed floor can be recycled or re-used after use.

Altro Stronghold 30 adhesive-free is the ideal flooring solution for busy kitchens. It's easy to maintain and repair and has excellent scratch and scuff resistance, giving your kitchen floor a long life expectancy. It has Altro's highest rating for slip resistance (PTV \geq 55, R12) and 3mm thickness, which provides comfort underfoot.




Clam | AFK30215
WR20 / A1M20 / LRV 36

Not all products are available in every country, please check with your Altro consultant for availability in your region.


For full technical details altro.com




Floors - Safety



Celadon | AFK30332
WR52 / A1M52 / LRV 24




Zinc | AFK3010
WR86 / A1M86 / LRV 21




Mortar | AFK30911
WR101 / A1M72 / LRV 11




Gulf | AFK30421
WR72 / A1M72 / LRV 11



Soot | AFK3001
WR100 / A1M100 / LRV 7



Tempest | AFK30153
WR100 / A1M100 / LRV 7



Moleskin | AFK30500
WR153 / A1M239 / LRV 17

*For installations in cold rooms that reach temperatures below 0°C, and on kitchen stairs, Altro Stronghold 30 adhesive-free must be fully adhered using AltroFix™ 19 Plus. For more information please refer to our technical installation guide.

**Altro recommend the use of AltroFix MP600 one trowel width around vulnerable points where water ingress or thermal shock might occur, such as drains, gullies and exposed edges to ensure the correct profile of the flooring. For more information please refer to our technical installation guide.

Floors - Safety



Altro Stronghold 30

Application areas:

- Commercial kitchens (not domestic)
- Cold rooms
- Food preparation and service areas where grease, oil, fats are present
- Sloping ramps
- Kitchen stairs

Water underfoot is treacherous enough – add grease, oils and fats, and you've got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it's essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro's highest rating for slip resistance (PTV ≥ 55 , R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Star | K30912
WR79 / A1M191 / LRV 41


Not all products are available in every country, please check with your Altro Consultant for availability in your region.
For full technical details altro.com




Floors - Safety




Monsoon | K30153
WR81 / A1M81 / LRV 24



Cannon | K30911
WR101 / A1M72 / LRV 11




Dolphin | K3010
WR86 / A1M86 / LRV 21




Midnight | K30421
WR72 / A1M72 / LRV 11




Abyss | K3001
WR100 / A1M100 / LRV 7




Oyster | K30215
WR20 / A1M20 / LRV 36




Biscuit | K30907
WR146 / A1M20 / LRV 30




Torch | K30913
WR278 / A1M42 / LRV 16




Tundra | K30500
WR153 / A1M239 / LRV 17




Skyline | K30332
WR52 / A1M52 / LRV 24



Lime | K3086
WR472 / A1M381 / LRV 42



Russet | K30262
WR41 / A1M41 / LRV 14



Surf | K30412
WR71 / A1M71 / LRV 20

Floors - Safety



Altro Aquarius


Application areas:

- Bathrooms
- Showers
- Wet rooms
- Changing rooms (except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Home adaptation level access bathrooms
- Therapy pools with specialist care

Achieving a PTV ≥ 50 (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 37 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.




Puffin | AQI2005
WR287 / A1M79 / LRV 46


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Floors - Safety




Terrapin | AQI2009
WR289 / A1M265 / LRV 40



Vole | AQ2010
WR289 / A1M265 / LRV 43



Walrus | AQ2007
WR261 / A1M81 / LRV 29




Tern | AQI2008
WR261 / A1M81 / LRV 31




Hippo | AQI2013
WR301 / A1M82 / LRV 11




Gosling | AQI2023
WR369 / A1M369 / LRV 59




Iguana | AQ2021
WR297 / A1M20 / LRV 41



Otter | AQI2006
WR290 / A1M239 / LRV 26




Cygnet | AQ2004
WR287 / A1M79 / LRV 46




Salamander | AQI2011
WR294 / A1M294 / LRV 41




Swan | AQI2012
WR291 / A1M01 / LRV 75




Sea Snail | AQI2024
WR370 / A1M370 / LRV 50




Dragonfly | AQ2001
WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002
WR288 / A1M71 / LRV 24




Newt | AQ2022
WR368 / A1M368 / LRV 10



Coral Crab | AQI2014
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016
WR303 / A1M303 / LRV 11




Treefrog | AQI2003
WR293 / A1M271 / LRV 33




Mallard | AQI2015
WR302 / A1M302 / LRV 13


Floors - Safety




Lighthouse | PX2001
WR291 / A1M01 / LRV 70




Jellyfish | PX2005
WR388 / A1M388 / LRV 46




Porthole | PX2007
WR390 / A1M390 / LRV 30



Anchor | PX2008
WR391 / A1M82 / LRV 16




Houseboat | PX2015
WR398 / A1M398 / LRV 25




Fisherman | PX2009
WR392 / A1M392 / LRV 48




Seahorse | PX2011
WR394 / A1M394 / LRV 47




Windbreak | PX2016
WR399 / A1M399 / LRV 38




Deckchair | PX2013
WR396 / A1M396 / LRV 50




Sea Urchin | PX2014
WR397 / A1M397 / LRV 34




Breakwater | PX2003
WR386 / A1M20 / LRV 42



Cuttlefish | PX2002
WR385 / A1M385 / LRV 50




Shoreline | PX2006
WR389 / A1M389 / LRV 38




Driftwood | PX2004
WR389 / A1M389 / LRV 38



Sand Dune | PX2018
WR568 / A1M239 / LRV 20



Beach Hut | PX2012
WR395 / A1M395 / LRV 37



Starfish | PX2010
WR393 / A1M393 / LRV 21



Walls




Altro Whiterock White

Application areas:

- Accident and emergency, critical care
- Commercial, social, student kitchens
- Laboratories, test areas
- Laundries, mortuaries
- Bathrooms

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.



White | W103-W104
LRV 89

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Walls



Altro Whiterock Satins


Application areas:

- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms
- Kitchenettes

Utilise colour to subtly create a mood with Altro Whiterock Satins. This adaptable and refined wall cladding comes in various off-white hues, tonal colours, and solid, decorative shades, ranging from calming and restorative to vibrant and dynamic. In addition to LRVs, we've also measured the chroma values to help you choose the best colour.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010.



Serenity | 227
LRV 56

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com

Walls




Linen | 41
LRV 83




Silk | 229
LRV 68



Hessian | 233
LRV 68



Fawn | 206
LRV 41




Clay | 224
LRV 29




Blossom | 230
LRV 77




Oyster | 32
LRV 73



Blush | 231
LRV 29



Honeydew | 225
LRV 60




Bergamot | 220
LRV 26



Seafoam | 43
LRV 81



Spa | 232
LRV 81



Promenade | 212
LRV 32




Orchard | 223
LRV 50


Walls




Cesco | 53
LRV 72



Echo | 208
LRV 36




Urban | 210
LRV 28




Twilight | 226
LRV 12




Dakota | 209
LRV 6




Ice | 44
LRV 80



Clarity | 207
LRV 64




Breeze | 228
LRV 64




Flint | 201
LRV 32



Ozone | 211
LRV 10



Mint | 203
LRV 59



Vibrance | 213
LRV 22



Walls



Altro Whiterock FR

Application areas*:

- Kitchenettes, food serveries
- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms


*check with local building regulations to ensure that the product has the correct fire rating for the application area in your country.

Satin finish, general purpose, hygienic and durable wall sheet, Altro Whiterock FR is extruded from a high-quality, food-safe vinyl polymer for operating temperatures up to 60°C.

Altro Whiterock FR is easy to clean, impact-resistant and seamless, complying with all EU directives relating to health and hygiene.

Durable, seamless and waterproof Altro Whiterock FR adheres to strict hygiene standards providing a stain-resistant, easy to clean, impact resistant surface, ideal for hard working areas.


This adaptable and refined wall cladding comes in various decorative shades, ranging from calming and restorative to vibrant and dynamic.



White
2.5 m W3FR 3.0 m W4FR
LRV 89

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com

Walls



Cream
W6FR/41 / W7FR/41
LRV 83



Jasmine
W6FR/53 / W7FR/53
LRV 71



Snowdrift
W6FR/44 / W7FR/44
LRV 80



Sapling
W6FR/43 / W7FR/43
LRV 81

Walls



Alto Whiterock Chameleon

Application areas:

- High-end bathrooms
- Showers and changing rooms
- Foyers
- Serveries
- Retail

Make a bold statement with Alto Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Alto Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Alto Whiterock, Alto Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.




Key Lime | 6635
LRV 50


Not all products are available in every country, please check with your Alto consultant for availability in your region.
For full technical details alтро.com



Walls



Pure Innocence | 6601V
LRV 92




Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15



Sheer Glass | 6609V
LRV 40



Ocean Deep | 6637
LRV 7




Ice Queen | 6629V
LRV 36




Eau De Chic | 6605V
LRV 48



Hawaiian Palm | 6638
LRV 22



Distant Thunder | 6634
LRV 18



Liquorice | 6612V
LRV 5



Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9

Walls



Altro Whiterock wall designs

Application areas:

- Public areas, receptions, foyers, lobbies
- Bedrooms in hotels and hospitals
- Cafés, restaurants and bars
- Bathrooms, showers and changing rooms

With natural wood, minerals, weaves, concretes and marble options, Altro Whiterock wall designs give an elegance to interior walls while providing the durability you expect from an Altro Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Altro Whiterock sheet, can be hot welded and can be combined with Altro floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Altro Whiterock and Altro Fortis wall sheets in adjacent areas.



Warm Elegance | 9917
LRV 61

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Walls



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48



Urban Mineral | 9907
LRV 28



White Elegance | 9919
LRV 80



Soft Elegance | 9918
LRV 54



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Warm Concrete | 9916
LRV 24



Soft Woodgrain | 9901
LRV 52



Warm Woodgrain | 9904
LRV 38



Rich Woodgrain | 9902
LRV 14



White Woodgrain | 9915
LRV 79



Cool Woodgrain | 9914
LRV 31

Walls



Altro Whiterock Digiclad (Custom)

Application areas:

- Cafés, restaurants and bars
- Public areas, receptions, foyers, lobbies
- Retail, offices, commercial building spaces where looks count
- Bathrooms, showers and changing rooms

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.


Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.



Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Walls



Altro Fortis Titanium

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.


Available in 12 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.


** Conditions apply. Please contact us for more information.



Walls




White | FT/01
LRV 89



Pearl | FT/41
LRV 83



Almond | FT/32
LRV 70



Tan | FT/206
LRV 41




Kingfisher | FT/213
LRV 22




Shadow | FT/53
LRV 71




Battleship | FT/208
LRV 43




Riviera | FT/207
LRV 64



Denim | FT/201
LRV 32



Oxford | FT/211
LRV 10



Cardinal | FT/221
LRV 13

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com

Walls




Altro Fortis corner protection

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.




Battleship | FT/208/E75X75
LRV 43


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Walls




White
FT/01/E75X75
LRV 89



Pearl
FT/41/E75X75
LRV 83



Almond
FT/32/E75X75
LRV 70




Tan
FT/206/E75X75
LRV 41




Cardinal
FT/221/E75X75
LRV 13



Shadow
FT/53/E75X75
LRV 71




Riviera
FT/207/E75X75
LRV 64



Denim
FT/201/E75X75
LRV 32



Oxford
FT/211/E75X75
LRV 10



Kingfisher
FT/213/E75X75
LRV 22

Walls



Altro Tegulis

Application areas:

- Non-commercial kitchens
- Supermarket counters
- Bars/Cafe/Restaurants
- Spas
- Hotels

With numerous colour and tile-effect combinations Altro Tegulis is perfect for those looking to create a stylish, flexible look for walls. Created from 13 standard tile-effect options with multiple colour and design palettes and an option for custom, bespoke design.

An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes creative wall design to a new level.

With the look and feel of tiles, the custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.

Pair with AltroFix™ W139 adhesive for your fully bonded, 10-year system guarantee.



Urban Mineral
9907 | LRV 28

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com

Walls



White Elegance
9919 | LRV 80



Warm Elegance
9917 | LRV 61



White Mineral
9905 | LRV 61



Soft Elegance
9918 | LRV 54




Warm Concrete
9916 | LRV 24



White Woodgrain
9915 | LRV 79



Soft Woodgrain
9901 | LRV 52



White
W103 | LRV 89



Hessian
233 | LRV 68



Serenity
227 | LRV 56




Twilight
226 | LRV 12

Swatch sample shows Herringbone design.


Walls

Altro Tegulis Essence range


Essence provides you with an essential collection of seven tile designs, including Herringbone, Stacked Metro and Metro giving a distinctive or minimalist aesthetic.



Herringbone tile
62mm x 197mm




Stacked Metro tile
76mm x 292mm




Stacked Metro tile
222mm x 389mm




Stacked Metro tile
292mm x 592mm



Metro tile
76mm x 146mm



Metro tile
76mm x 292mm



Metro tile
102mm x 233mm







Walls

Altro Tegulis Deluxe range


Deluxe features a range of six more intricate and detailed patterns including Square, Chevron, Hexagon, KitKat and two mosaic designs, allowing for style versatility.




Square tile
106mm x 106mm




Mosaic tile
35mm x 35mm




Mosaic tile
53mm x 53mm



Hexagon tile
112mm x 130mm



KitKat
22mm x 147mm



Chevron tile
141mm x 408mm

Walls



Altro Whiterock Imagination Wall

Application areas:

- Waiting areas
- Hospital wards
- Nurseries
- Activity centres

Altro Whiterock Imagination Wall gives children the chance to colour to their hearts' content - then you dry wipe away and they can start again! This new addition to the Altro Whiterock range is available in six imaginative scenes providing children with a low-maintenance creative outlet, while simultaneously protecting walls from scuffs and bumps commonly found in paediatric offices and classrooms. Altro Whiterock Imagination Wall blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas. Designed for use with non-toxic, washable, dry wipe markers, Altro Whiterock Imagination Wall can be easily cleaned for repeated use.




Space | WIM001


Walls




Dinosaurs | WIM002




Shapes | WIM003



Space | WIM001



Aeroplanes | WIM005



Pirates | WIM006



Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com

Walls




Altro Whiterock Whiteboard

Application areas:

- Classrooms
- Meeting, training rooms
- Consultation rooms
- Play areas

Altro Whiterock Whiteboard is ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001
LRV 89

Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Walls



Altro Whiterock Splashbacks

Application areas:

- Kitchens, kitchenettes
- Bistros
- Hospital wards
- Ensuite bathrooms
- Schools, nurseries
- Supermarket counters

Hygienic, low-maintenance, convenient and easy to install, Altro Whiterock Splashbacks are a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to co-ordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon and Altro Whiterock wall designs ranges, pick your size, and away you go.




Key Lime | 6635
LRV 50


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com




Walls




Pure Innocence | 6601V
LRV 92




Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15



Ocean Deep | 6637
LRV 6



Liquorice | 6612V
LRV 5



Distant Thunder | 6634
LRV 18




Sheer Glass | 6609V
LRV 40




Eau De Chic | 6605V
LRV 48



Hawaiian Palm | 6638
LRV 22



Ice Queen | 6629V
LRV 36



Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9



Linen | 41
LRV 83




Silk | 229
LRV 68



Hessian | 233
LRV 68



Fawn | 206
LRV 41




Clay | 224
LRV 29



Blossom | 230
LRV 77




Oyster | 32
LRV 73



Blush | 231
LRV 29



Honeydew | 225
LRV 60



Bergamot | 220
LRV 26


Walls




Seafoam | 43
LRV 81



Spa | 232
LRV 81




Serenity | 227
LRV 56




Promenade | 212
LRV 32




Orchard | 223
LRV 50




Cesco | 53
LRV 72




Ice | 44
LRV 80




Breeze | 228
LRV 64




Mint | 203
LRV 59




Vibrance | 213
LRV 22




Clarity | 207
LRV 64




Flint | 201
LRV 32




Ozone | 211
LRV 10




Twilight | 226
LRV 12




Dakota | 209
LRV 6



Echo | 208
LRV 36



Urban | 210
LRV 28



White | W103-W104
LRV 89

Walls



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48



Urban Mineral | 9907
LRV 28



White Elegance | 9919
LRV 80



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Soft Elegance | 9918
LRV 54



Warm Elegance | 9917
LRV 61



Warm Concrete | 9916
LRV 24



Soft Woodgrain | 9901
LRV 52



White Woodgrain | 9915
LRV 79



Cool Woodgrain | 9914
LRV 31



Warm Woodgrain | 9904
LRV 38



Rich Woodgrain | 9902
LRV 14

Doors



Altro Fortis door protection

Application areas:

- Circulation, public areas
- Corridors
- Classrooms

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets encapsulated with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Almond | FT/32
LRV 70


Not all products are available in every country, please check with your Altro consultant for availability in your region.
For full technical details altro.com



Technical drawings - Floors


Straight laid

D1/03/05



Sit-on cove


D2



Technical drawings - Floors


Set-in cove skirting

D3



Self-coved with cove former and capping seal


D4/03/05



Technical drawings - Floors

Self-coved with cove former and captile strip C8 to wall tiles


D5/03/05



Technical drawings - Floors


Self-coved with cove former to Altro wall system semi-rigid PVCu sheet

D8/03/05




Self-coved with cove former and capping seal C11 over floor tiles

D6/03/05



Self-coved to architrave


D9/03/05



Technical drawings - Floors

Finished to gully angle


D10/03/05



Technical drawings - Floors


Transition with clamping drain

D13/03/05




Transition with other floor surfaces

D12/08/05



Transition with clamping channel


D14/03/05



Technical drawings - Floors

Transition with access covers


D16/03/05



Technical drawings - Walls


Altro wall system to window / door frame detail

W1



Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail


WS2



Technical drawings - Walls


Altro wall system to boxing inspection cover detail

W3



Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail

WF4




Shower tray detail for dementia-friendly environments available at www.altro.com

Technical drawings - Walls


Altro wall system to Altro resilient flooring overlap detail

WF4a



Altro wall system with corner protector fixing detail


W8



Technical drawings - Walls


Altro wall sheet to Altro wall sheet detail

W9



Altro wall sheet to Altro Whiterock FlexiJoint detail


W11



Technical drawings - Walls


Concealed transition strip

WHTT2



Concealed transition strip

WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.



Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling

Customer support

International partner network

Altro showrooms

Life cycle costs



“We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”

Scott Myers,
Managing Director, Pinnacle

More information is available on [altro.com](https://www.altro.com)

Samples

If colour choice is critical, please request a sample of the material


+44 (0) 1462 707 700

enquiries@altro.com



Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW, UK

+44 (0) 1462 707 700 enquiries@altro.com

 Altro, Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata adhesive-free, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Reliance, Altro Atlas, Altro Suprema, Altro Symphonia, Altro Tierra, Altro Illustra adhesive-free, Altro Illustra, Altro Walkway, Altro Walkway SD, Altro XpressLay adhesive-free, Altro Stronghold adhesive-free, Altro Stronghold, Altro Aquarius, Altro Classic, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Splashbacks, Altro Whiterock White FR, Altro Whiterock Satins FR, Altro Whiterock Whiteboard, Altro Whiterock Imagination Wall, Altro Fortis Titanium, Altro Fortis corner protection and Altro Fortis door protection are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2025